

=> file caplus biosis

=> s ((syringe?(20a)pressur?)(20a)agrobacterium)/ab,bi

L1 0 ((SYRINGE?(20A) PRESSUR?)(20A) AGROBACTERIUM)/AB,BI

=> s ((syringe?(20a)pressur?)(p)agrobacterium)/ab,bi

L2 0 ((SYRINGE?(20A) PRESSUR?)(P) AGROBACTERIUM)/AB,BI

=> s ((syringe?(20a)clamp?)(20a)agrobacterium)/ab,bi

L3 0 ((SYRINGE?(20A) CLAMP?)(20A) AGROBACTERIUM)/AB,BI

=> s ((syringe?(20a)clamp?)(p)agrobacterium)/ab,bi

L4 0 ((SYRINGE?(20A) CLAMP?)(P) AGROBACTERIUM)/AB,BI

=> s ((syringe?(20a)tight?)(20a)agrobacterium)/ab,bi

L5 0 ((SYRINGE?(20A) TIGHT?)(20A) AGROBACTERIUM)/AB,BI

=> s ((syringe?(20a)tight?)(p)agrobacterium)/ab,bi

L6 0 ((SYRINGE?(20A) TIGHT?)(P) AGROBACTERIUM)/AB,BI

=> log y

STN INTERNATIONAL LOGOFF AT 19:14:39 ON 27 MAY 2010